

DREMAX[®]



Demand



Realize



Evolve



Maximum



Advanced



X

DREMAX CO.,LTD.

Julienne robo

DM-91D

Suitable for Thin Strips,
Slices, Rectangles cutting.

Applications: Cutting into thin strips, slices, rectangles

- Up to 10cm in length.
- Recommended for processing a larger amount than DX-80.
- A wide variety size of cutting options. (Thin strips, Slices, Rectangles)
- Clearly cut along with the fibers of foodstuffs.

- Accessory/julienne board (Standard size of 3×3mm)
- You may choose the comb blade's width size from below.

- Dimensions: W470×L300×H430 (mm)
- Insertion Slot: W100×L100×H120 (mm)
- Electricity Power: 220V/200W 60Hz
- Weight: 13kg
- Operating Time: 30min
- Processing Capacity: using 3×3mm julienne board
Cut burdock 30pcs/5min
Cut Japanese radishes 6pcs/5min
Cut carrots 40pcs/5min



Rectangles cutting



Options
 Slice board: 0.3-2.5mm
 Slice board: 3.0mm, 4.0mm
 Julienne board: 1.0×1.0mm, 1.2×1.2mm, 1.5×1.5mm, 2.0×2.0mm, 2.5×2.5mm, 3.0×3.0mm, 4.0×4.0mm
 Custom-made julienne board also available. Thickness up to 4.0mm, width for any size.
 For example: Rectangle cut board 4×10mm
 It is required to change the julienne board also when changing the cutting size.

Multi julienne

DX-80

The compact thin-strip
cutter.

Applications: Cutting into thin strips, slices, rectangles.

- Up to 10cm in length.
- It is possible to cut leeks into thin strips. (3.0mm in width or wider)
- A wide variety size of cutting options. (Thin strips, Slices, Rectangles)
- Clearly cut along with the fibers of foodstuffs.

- Accessory/julienne board (Standard size of 3×3mm)
- You may choose the comb blade's width size from below.

- Dimensions: W380×L230×H380 (mm)
- Insertion Slot: W80×L80×H70 (mm)
- Electricity Power: 220V/110W 50Hz
- Weight: 7.8kg
- Operating Time: 30min
- Processing Capacity: using 3×3mm julienne board
Cut burdock 25pcs/5min
Cut Japanese radishes 5pcs/5min
Carrots 35pcs/5min



Julienne



Options
 Slice board: 0.3-2.5mm
 Slice board: 3.0mm, 4.0mm
 Julienne board: 1.0×1.0mm, 1.2×1.2mm, 1.5×1.5mm, 2.0×2.0mm, 2.5×2.5mm, 3.0×3.0mm, 4.0×4.0mm
 Custom-made julienne board also available. Thickness up to 4.0mm, width for any size.
 For example: Rectangle cut board 2×7mm
 It is required to change the julienne board also when changing the cutting size.

V slicer

MV-50D

Manual stainless steel
slicer.

Applications: Slicing only

- Circular insertion slot and V-shaped blade
- Can evenly slice the foodstuff what is hard or tender to cut.
- Stainless steel body. It is possible to sterilize all of the parts except the insertion slot.

- Options: Cutter (Wave blade)
- Can clearly slice soft overripe tomatoes.

- Dimensions: W410×L195×H250 (mm)
- Insertion Slot: φ100mm
- Weight: 3kg
- Thickness adjustment: 0.5~10mm (Stepless adjustment)
- Equipped with the dial scale.
- Body: Made of SUS304 stainless steel



Flat blade

Wave blade

鋭



Slice Mama D

S19D

Easy to use! Easy to change
slicing and julienne board.

Applications: Slicing and julienne

- Can cut into thin strip and slice.
- Very sanitary because whole washing is possible.
- Made of plastic.

- Dimensions: W430×L170×H210 (mm)
- Insertion Slot: W98×L98×H75 (mm)
- Weight: 2kg
- Size of julienne: 3.0mm×3.0mm only
- Thickness adjustment: 1~10mm (Dial adjustment system by 1mm each)

楽



Multi tsuma cutter

DX-70

Peeling garnish all the way around vegetables, making your dishes more creatively.

Applications: Garnishes (Tsuma), thin width slicing (Katsura-muki), meshes (Ami-zukuri)/option parts

- Can peel into max 11cm width thin slicing (Katsura-muki)
- Optional mesh maker attachment can make your dish more creatively.

- Accessory/comb blade (Standard size of 1.2mm)
※ You may choose the comb blade's width size from below.
- Options/Mesh maker attachment
comb blade width size (0.8·1.0·1.2·1.5·2.0·3.0·4.0mm etc.)
- Custom-made width size 5·10·15·50mm also available.

- Dimensions: W380×L310×H210 (mm)
- Electricity Power: 220V/110W 50Hz
- Weight: 7.6kg
- Operating Time: 20min
- Processing capacity: Using 1.2mm size cut Japanese radish's garnish 5pcs/5min
- Adjustment of thickness: Fixed at 0.7mm (Possible for choosing the comb blade's width size you like.)

創



Good Design Award



A reliable supporter of creative dishes




Vegetable pasta

Cut into colorful and unique Japanese radishes, carrots, pumpkins, cucumbers, sweet potatoes, potatoes' garnishes and thin width slicing. You can realize various ideas for creative dishes, such as making vegetable pasta and salad arrangements.



Vegetable flowers

Layer of each amazingly even thickness of 0.7mm long-thin Japanese radish, carrot and cucumber, then slit them with comb blade and roll them up. Open the slits of what is rolled up, beautiful flowers are completed. Decorate this pickles or appetizer flower in your dishes.



Pumpkin's width-thin slicing

Peeling pumpkin's width-thin slicing which is difficult by hand. You can arrange it you like to put width-thin slicing carrots on top of peeled pumpkins layer, then to steam or roast and top with cheese. By using beautiful color cook unique and new creative dishes.

Multi slicer

DX-100


Easy to cut soft thin strips of cabbage like a Tonkatsu (Japanese style fried pork) restaurant chief done.

Applications: cutting cabbage into julienne, slicing any vegetables into slice

- Ultra-high speed planetary motion of round blade (2150rpm/1min) amazingly process in speedy.
- Even soft spring cabbages and lettuces are easily cutting.
- Easy cleaning and maintenance by the simple structure.

- Accessory/round blade sharpener

- Dimensions: W340×L430×H510 (mm)
- Insertion Slot: $\phi 70, \phi 200$ (Deformed semicircular)
- Electricity Power: 220V/220W 50Hz
- Weight: 10kg
- Operating Time: 30min
- Processing capacity: Cut cabbages into 1mm thin strip 5pcs/5min
- Thickness adjustment: 0.3~5.0mm (Stepless adjustment by three screws of the turning disk.)



Planetary Motion System of round blade



Caberobo


DX-150

Just cut the cabbage into half and put inside only! Thin strips of cabbages are made automatically.

Applications: cutting cabbages into thin strips

- By using Planetary Motion System of round blade, cabbage can be sliced cleanly and evenly with no pressure.
- Easy to cut soft thin strips of cabbage with nice texture.
- You can do other works during cabbages be cut by it's self-weight.

- Dimensions: W393×L408×H486 (mm)
- Insertion Slot: $\phi 280$ H170
- Electricity Power: 220V/220W 50Hz
- Weight: 15kg
- Operating Time: 30min
- Processing capacity: Cut cabbages into 0.8mm thin strip 3pcs/5min
- Thickness adjustment: 0.8~4.0mm (For cutting cabbage into thin strip use only.)



Planetary Motion System of round blade




Thin strips of cabbages



豊

勝



DX-50 · 50B · 55 is using the same type of body, they are simply changing the insertion slot to cut various type of slicing.

Multi slicer mini

DX-50

This model is completely suited to cut leeks into ring cutting!


Applications: slicing leeks/long green onions

- Ultra-high speed planetary motion of round blade (6000rpm/1min) amazingly process in speedy.
- Easy cleaning and maintenance from the compact design.

- Options/Shaving cut cover (for cutting leeks/long green onions into diagonal)
- Trumpet-type insertion cover (for cutting spring onions)

- Accessory/round blade sharpener

- Dimensions: W220×L340×H370 (mm)
- Insertion Slot: 95×38 (mm) (Deformed semicircular)
- Electricity Power: 220V/110W 50Hz
- Weight: 5kg
- Operating Time: 20min
- Processing capacity: Cut leeks/long green onions into 1mm ring cutting 30pcs/5min
- Thickness adjustment: 0.3~5.0mm (Stepless adjustment)



Leeks/
Long green onions

Multi slicer mini (Trumpet-type insertion slot)

DX-50B

Tender spring onions can be cut easily.


Applications: cutting spring onions into ring

- This trumpet-type insertion slot which is suited to spring onions.
- Insert spring onions by grabbing the part near their roots.
- Applicable to Kujo green onions.

- Options/Shaving cut cover (for cutting leeks/long green onions into diagonal)
- Ring cutting cover (for cutting leeks/long green onions)

- Accessory/round blade sharpener

- Dimensions: W220×L330×H370 (mm)
- Insertion Slot: φ85~φ45 (Trumpet-type)
- Electricity Power: 220V/110W 50Hz
- Weight: 5kg
- Operating Time: 20min
- Processing capacity: Cut spring onions into 4mm ring cutting 15bundle/5min
- Thickness adjustment: 0.3~5.0mm (Stepless adjustment)



Spring onions

Sasagaki Slicer Mini

DX-55

Shaving burdock roots, slicing leeks diagonally.



Applications: shaving burdock roots, slicing leeks diagonally

- Suited for Japanese-ramen (Chinese noodles) topped with sliced leeks.
- Using ultra-high speed planetary motion system of round blade and bottom to top cutting system

- Options/Trumpet-type insertion cover (for cutting spring onions)
- Ring cutting cover (for cutting leeks/long green onions)

- Accessory/round blade sharpener

- Dimensions: W220×L310×H370 (mm)
- Insertion Slot: φ32 (Deformed)
- Electricity Power: 220V/110W 50Hz
- Weight: 5kg
- Operating Time: 20min
- Processing capacity: Cut leeks/long green onions into diagonal 35pcs/5min Shaving burdock roots 12pcs/5min
- It is necessary to rotate burdock roots manually.
- Thickness adjustment: 0.3~5.0mm (Stepless adjustment)
- Length of shaving size is around 3~5cm (Length of shaving size will be difference depend on the foodstuff.)



Shaved burdock roots



Diagonally sliced leeks

Chili cutter

DX-50T

Speedy cut various sizes of chilies!


Application: slicing chilies into ring cutting

- Equipped with 3 sizes of insertion slot for cutting various kind of chilies easily.
- Available to shred leeks and lemon leaf into fine strips.

- Options/Trumpet-type insertion cover (for cutting spring onions)
- Ring cutting cover (for cutting leeks/long green onions)
- Shaving cut cover (for cutting leeks/long green onions into diagonal)

- Accessory/round blade sharpener

- Dimensions: W220×L310×H370 (mm)
- Electricity Power: 220V/110W 50Hz
- Weight: 5kg
- Operating Time: 20min
- Thickness adjustment: 0.3~5.0mm (Stepless adjustment)



Chilies

辣



Water flaw cycling round blade sharpener mini

DX-10BT

Not only for sharpening round blade and also for knives. Economical!

Applications: round blade, knives sharpening

- For those who are not satisfied with the finish of round blade sharpener pendant in DREMAX products!
- For those who are bothered by blades that become dull soon due to cut large amount of foodstuffs!

- Options/Coarse grindstone (#80/100)
- Medium grindstone (#120)
- Accessory/Grindstone #1200 (Grindstone for finishing)

- Dimensions: W250×L230×H365 (mm)
- Electricity Power: 220V/110W 50Hz
- Weight: 5kg
- Operating Time: 60min
- Grindstone: Exterior φ125, Interior φ70
- Available to round blade of model DX-50 series, DX-50M, DX-100, DX-1000, DX-150

研



Multi mince

DX-90

Could mince vegetables how fine you like!
Chopped vegetables will not become watery!

Applications: High speed chopping performance

- Compact vegetable bowl-cutter.
- Using ABS-plastic bowl, easy for handling and cleaning.

- Dimensions: W580×L390×H240 (mm)
- Electricity Power: 220V/220W 50Hz
- Weight: 15kg
- Operating Time: 20min
- Processing Capacity: mince into size ±3mm for cabbage 20pcs/5min for onion 35pcs/5min
- Bowl size: 4L (diameter φ370mm)

*can fill 2~3kg of onions in once.



Can blend with mincemeat, fish together to make hamburger or dumplings ingredients in easily.



Vertical mince

DX-40

Just put the foodstuffs in from top and mince. Easily and Fast!

Applications: High speed chopping performance

- Two fineness adjustment boards are included.
- 5holes for mince into ±4-6mm coarse and 3holes for mince into ±2-4mm fines adjustment board for your choice.

- Accessories/Fineness adjustment board 5holes and 3holes are included.

- Dimensions: W200×L260×H410 (mm)
- Insertion Slot: φ110
- Electricity Power: 220V/110W 50Hz
- Weight: 5kg
- Operating Time: 20min
- Processing Capacity: mince by 3holes adjustment board for cabbage 12pcs/5min for onion 32pcs/5min



The cabbage



*When you want to chop foodstuffs more finely, throw them in the machine twice.

Naganegi onion mince

DX-50M

For chopping green onions beautifully and finely all at once...



Applications: High speed chopping performance for green onion

- For chopping green onions beautifully and finely into ±3-4mm dice all at once...
- Best for cooking in Chinese foods, Western foods, Ramen noodles etc.

- Accessories/Round blade sharpener and pusher are included.
- Options/Turning disk with comb blade (3mm, 4mm) for your choice.

- Dimensions: W220×L340×H370 (mm)
- Insertion Slot: 95×38 (mm) deformed semi-lunar shape
- Electricity Power: 220V/110W 50Hz
- Weight: 5kg
- Operating Time: 20min
- Processing Capacity: Chopping 35 long green onions finely around 5min.
- Adjustment of thickness: Fixed at 3mm

*This model is not compatible with DX-55 · 55 · 50B



Mince for long green onions

High speed tsuma cutter

NK-100D

A whole Japanese radish quickly turns to full of garnishes.

Applications: Garnishes of Japanese radishes and carrots

- Just remove both end of Japanese radish and set it in simply only.
- The fully automatic high-performance cutter for garnishes with forced feeder.

- Accessories/with comb blade size 1.2mm.
- *You may choose the comb blade's width size from below.
- Options/Comb blade width size (0.8·1.0·1.2·1.5·2.0mm etc.)

- Dimensions: W650×L250×H340 (mm)
- Electricity Power: 220V/100W 50Hz
- Weight: 15kg
- Operating Time: 30min
- Processing Capacity: cut into 1.2mm width size of Japanese radish 8pcs/5min
- Adjustment of thickness: Fixed at 1.2mm

(Possible for choosing the comb blade's width size you like.)



for example using a wide size comb blade to cut carrots.



Versatile super slicer/Dicer

F-2000S / F-2000D

• Process vegetables "Speedy, No waste, Excellent quality" in cutting.

Pull out the charm of the foodstuff itself to the fullest, spread the new possibilities.

We also have F-2100S/D and F-2200S/D for further mass processing of possible than F-2000S/D.



Cutting size

Slicing:0.3~10mm

Julienne:0.7~10mm

Dicing:1.2~10mm

※ Adaptable size there might be different by foodstuffs. Please contact us for more information.

Dimensions	W850×L1050×H1380 (mm)
Electric motor	three-phase 200V 1500W+750W with inverter (Japan specification) / Custom-made available
Weight	150kg
Operating Time	continuous use
Processing capacity	110~400kg/hour
Exterior	SUS304 stainless steel
Safety device	circuit breaks by sensor detection

3roles in one! Sliced,shredded, diced possible by exchange of cutlery.

Vegetables



Sliced ginger pickles



Mixed garnishes of Japanese radishes and carrots



Leaf vegetables' dice cut

Fruits



Sliced green banana



Thin strips of green papaya



Diced Mango

Meats



Sliced chicken



Thin strips of pork



Diced beef

Fishes



Sliced shrimp



Thin strips of bonito



Diced octopus

DREMAX CO.,LTD.

<http://www.dremax.com>

5-9-13 Naka-aoki,Kawaguchi

Saitama,332-0032 Japan

TEL.+81-48-254-1231 FAX.+81-48-254-1331

Note: Product's specifications and designs may be changed without notice for the purpose of improvements.

■ For more DREMAX products informations,please contact us...